

da Vinci
LOBECTOMY



Solutions for minimally invasive thoracic surgery

The *da Vinci* Surgical System



Dual Console

Dual console capability allows an additional surgeon to provide an assist or can facilitate teaching and proctoring by connecting a second surgeon console.

- High-definition 3D vision
- *EndoWrist*[®] instrumentation
- *Intuitive*[®] motion

Surgeon Benefits

Represents the state-of-the-art approach for surgical removal of primary malignant, metastatic and benign lesions of the peripheral and central lung.

da Vinci lobectomy maintains the oncologic principles of open lobectomy while providing the benefits of a minimally invasive approach. *da Vinci* lobectomy enables precise anatomical resection, along with complete mediastinal lymph node dissection - the gold standard treatment for non-small cell lung cancer (nSCLC).

The unsurpassed visualization, precision, dexterity and control provided by the *da Vinci* Surgical System offers the following potential surgeon benefits:

- ❖ Autonomous control of the camera and instruments
- ❖ Dynamic exposure and retraction of tissues by utilizing all *da Vinci* instrument arms, which furthermore increases reproducibility and teachability²
- ❖ Complete and simple resection of all mediastinal (N2) and hilar (N1) lymph nodes in the aortopulmonary window, hilar, subcarinal and paratracheal area^{2,3}
- ❖ Low conversions and simplification of minimally invasive thoracic surgery³
- ❖ Improved capability for performing complex pulmonary resection surgery on large tumors (7-9 cm) and as such, extending the benefits of minimally invasive surgery to a broad base of patients^{2,4}



Thoracic Grasper

Application Highlights


Four ways *da Vinci* technology facilitates a precise lobectomy:

Portal Technique Maintains Oncologic Principles of Open Lobectomy




Using a posterolateral, single intercostal port placement and the unparalleled dexterity provided by *EndoWrist*® instrumentation enables access to and exposure of upper, mid and lower lobes during resection. A 15-mm assistant port is employed to enable effective ligation of vascular and bronchial structures as well as specimen retrieval (extended to 2-3 cm) at the conclusion of the surgery.

Comprehensive Lymph Node Dissection



3D HD vision and *EndoWrist* instrumentation enable complete capsular resection of mediastinal (N2) and hilar (N1) lymph nodes in the aortopulmonary window, hilar, subcarinal and paratracheal area.

Dynamic Exposure & Retraction of Tissues Utilizing all *da Vinci* Instrument Arms



4th arm assistance combined with new *EndoWrist* instrumentation designed specifically for pulmonary resection surgery facilitates manipulation of lung and tumor mass and enables an accurate dissection – limiting blood loss⁵ and enabling precise isolation of vascular and bronchial structures.

Superior Access without Utility Thoracotomy



Patient-side assistance, including stapling vascular and bronchial structures, is primarily performed through a 15-mm assistant port in the 9th/10th interspace, with sufficient distance from all *da Vinci* instrument arms to limit internal and external interferences. Specimen retrieval is performed by extending the assistant port to a 2-3 cm incision without rib spreading.

For technology videos visit
www.daVinciSurgeryCommunity.com


Clinical Data

Retrospective Comparison of *da Vinci* Lobectomy versus Open Lobectomy

da Vinci surgery enables complete lymph node dissection

- Robotic surgery enables an equivalent lymph node dissection, compared to open
- Taken from Cerfolio, et al. Initial consecutive experience of completely portal robotic pulmonary resection with 4 arms.

J Thorac Cardiovasc Surg 2011



da Vinci Lobectomy has shorter hospital stay and better quality of life than rib- and nerve-sparing thoracotomy.

Compared to open surgery, robotic lobectomy resulted in less blood loss, shorter hospital stay, and shorter chest tube duration. *J Thorac Cardiovasc Surg* 2011

	<i>da Vinci</i>	Open	P value
Est. blood loss	30+/-26	90+/-22	0.03
Verbal pain score	2.5 (0-7)	4.4 (0-8)	.04
Hospital stay	2	4	0.01
Chest tube duration	1.5	3.0	<0.001
Morbidity (no.)	28 (27%)	120 (38%)	.05
Operative mortality (no.)	0	11(3%)	.11

Limitations of this study include, but are not limited to:

- Single institution
- Procedure underwent modifications during first 20 operations
- Potential for patient bias regarding pain scores and QOL surveys



For additional data pertaining to these studies visit
www.daVinciSurgeryCommunity.com

Potential Patient Benefits & Risks

POSSIBLE BENEFITS COMPARED TO OPEN SURGERY:








- ❖ Reduced pain due to a port-only approach⁷
- ❖ Less blood loss⁵
- ❖ Shorter length of stay⁵
- ❖ Reduced chest tube duration⁷
- ❖ Low risk of wound infections⁶
- ❖ Shorter length of stay⁵
- ❖ Low conversion rate³

POSSIBLE RISKS INCLUDE:

- ❖ Abnormal heartbeat following surgery
- ❖ Bronchopleural fistula (abnormal passageway develops between lung airways and the membranes that line the lungs)
- ❖ Blood loss requiring transfusion⁸



EndoWrist[®] Instruments Optimized for **da Vinci**[®] Lobectomy

STANDARD/S,Si PNs	FEATURES	STANDARD/S,Si PNs	FEATURES
 <p>5 mm Thoracic Grasper NA/420343</p>	<ul style="list-style-type: none"> ❖ Ring profile grip ❖ Blunt tip 	 <p>Cadiere Forceps 400049/420049</p>	<ul style="list-style-type: none"> ❖ Short fenestrated jaw
 <p>8 mm Curved Bipolar Dissector NA/420344</p>	<ul style="list-style-type: none"> ❖ Curved dissecting tip 	 <p>Permanent Cautery Spatula 400184/420184</p>	<ul style="list-style-type: none"> ❖ Lymph node dissection
 <p>Maryland Bipolar Forceps 400172/420172</p>	<ul style="list-style-type: none"> ❖ Dissecting jaw profile 	 <p>Stapler Cannula Kit NA/420295</p>	<ul style="list-style-type: none"> ❖ Integrated 8 mm Cannula Reducer ❖ <i>da Vinci</i> System-guided instrument trajectory
 <p>Fenestrated Bipolar Forceps 400205/ 420205</p>	<ul style="list-style-type: none"> ❖ Bipolar energy device ❖ Fenestrated wide jaw profile 		



INTUITIVE SURGICAL®

Taking Surgery Beyond the Limits of the Human Hand.™

The friable nature of pulmonary tissue enhances the risk of patient injury when using this device. Published clinical experience as well as clinical studies performed to support this marketing clearance have demonstrated that even surgeons considered expert in laparoscopy/thoracoscopy have learning curves of 10 to 12 cases ((Falk, et al., Total endoscopic computer enhanced coronary artery bypass grafting, *Eur J Cardiothorac Surg* 2000; 17: 38-45.)).

All surgeries carry risks of adverse outcomes. Results, including cosmetic results, may vary. Serious complications may occur with *da Vinci* Surgery, up to and including death. Contraindications applicable to the use of conventional endoscopic instruments also apply to the use of all *da Vinci* instruments, including *Single-Site* Instrumentation. General contraindications for endoscopic surgery include bleeding diathesis, morbid obesity and pregnancy. Be sure to read and understand all information, particularly caution and warning information, found in the applicable user manuals before using these products. Failure to properly follow all instructions, including those in the *da Vinci Si* Surgical System user manual, and instructions supplied with accessory devices like generators, may lead to injury and result in improper functioning of the device. Unless otherwise noted, products featured are cleared for commercial distribution in the U.S. and bear the CE mark. For availability and clearances outside the US, please check with your local representative or distributor. For complete technical and labeling information, including indications, contraindications, warnings, precautions and safety information, please refer to the documentation provided with the *da Vinci*® System and its instruments and accessories.

While clinical studies support the use of the *da Vinci* Surgical System as an effective tool for minimally invasive surgery, individual results may vary. Before performing any clinical procedure utilizing the System, physicians are responsible for receiving sufficient training and proctoring to ensure that they have the requisite training, skill, and experience necessary to protect the health and safety of the patient. For technical information, including full cautions and warnings on using the *da Vinci* System, please refer to the System User Manual. Read all instructions carefully. Failure to properly follow instructions, notes, cautions, warnings, and danger messages associated with this equipment may lead to serious injury or complications for the patient. All people depicted unless otherwise noted are models.

© 2013 Intuitive Surgical, Inc. All rights reserved. Product names are trademarks or registered trademarks of their respective holders. PN 870803 Rev. C 07/13

¹Submissions for *da Vinci* System 510Ks, on file with Intuitive Surgical. ²Cerfolio RJ, Bryant AS, Skylizard L, Minnich DJ. Results of, and technical advancements to, completely portal robotic pulmonary resection using 4 arms (CPRL-4). Submitted to JTCVS April 2011. ³Kernstine KH, Anderson CA, Falabella A. Robotic lobectomy. Operative techniques in thoracic and cardiovascular surgery, 2008;204.e1- 204.e23. ⁴Dylewski MR, Ohaeto AC, Pereira JF: Pulmonary resection using a total endoscopic robotic video-assisted approach. Seminars in Thoracic and Cardiovascular Surgery, 2011. In-press. ⁵Veronesi G, Galetta D, Maisonneuve P, Melfi F, Schmid RA, Borri A, Vannucci F, Spaggiari L. Four-arm robotic lobectomy for the treatment of early-stage lung cancer. *J Thorac Cardiovasc Surg*, 2010;140(1):19-25. ⁶Srivastava S, Gadasalli S, Agusala M, Kolluru R, Naidu J, Shroff M, Barrera R, Quismundo S, Srivastava V. Use of bilateral internal thoracic arteries in CABG through lateral thoracotomy with robotic assistance in 150 patients. *Ann Thorac Surg*, 2006 March;81(3):800-6; discussion 806. ⁷ Cerfolio RJ, Bryant AS, Skylizard L, Minnich DJ. Initial consecutive experience of completely portal robotic pulmonary resection with 4 arms. *J Thorac Cardiovasc Surg*. 2011 Oct;142(4):740-6. doi: 10.1016/j.jtcvs.2011.07.022. Epub 2011 Aug 15.

Worldwide Headquarters

1266 Kifer Road, Building 101
Sunnyvale, CA 94086-5304
Tel: +1.408.523.2100
Fax: +1.408.523.1390

Asia Pacific Headquarters

Room 2051, 20th Floor
No. 989 Chang Le Road
Shanghai 200031 P.R. China
Tel: +86.21.5116.6881
Fax: +86.21.5116.6899

European Headquarters

Intuitive Surgical Sàrl
1, chemin des Mûriers
1170 Aubonne,
Suisse
Tel: +41.21.821.20.20
Fax: +41.21.821.20.21

www.IntuitiveSurgical.com
www.daVinciSurgery.com

To contact a representative or receive additional information, visit www.intuitivesurgical.com or call Intuitive Surgical Customer Service in the U.S. at 1.877.408.3872, in Europe at +41 21 821 20 00 or +800 0 821 20 20 or in the rest of the world, 1.408.523.2100.